


Blueberry Liquid

Sample ID: 1904NAS0313.0890
Strain: Blueberry Liquid
Matrix: Ingestible
Type: Tincture
Sample Size: ; Batch:

Produced:
Collected:
Received: 04/08/2019
Completed: 04/10/2019
Batch#: Sample 5

Client
CBS 5 News
Lic. #
809 S. 60Th Street
West Allis, WI 53214

Pass



Analyte	LOD %	LOQ %	Mass %	Mass mg/g
THCa	0.010	0.020	ND	ND
Δ 9-THC	0.010	0.030	ND	ND
Δ 8-THC	0.010	0.040	ND	ND
THCV	0.010	0.020	ND	ND
CBDa	0.010	0.020	ND	ND
CBD	0.010	0.030	<LOQ	<LOQ
CBDVa	0.010	0.030	ND	ND
CBDV	0.010	0.010	ND	ND
CBN	0.010	0.010	ND	ND
CBGa	0.010	0.030	ND	ND
CBG	0.010	0.030	ND	ND
CBC	0.010	0.020	ND	ND
Total			0.000	0

Date Tested: 04/09/2019

Total THC = THCa * 0.877 + Δ 9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Sample Prep Method: SP-200. Analysis Method: AM-300. Instrument: HPLC-DAD-SP-200.

Summary

0.000% Total Cannabinoids <small>04/09/2019</small>	Not Tested <small>NT</small> Terpenes	Pass Pesticides <small>04/09/2019</small>	Not Tested Residual Solvents	Not Tested Microbials
Not Tested <small>NT</small> Moisture	Not Tested <small>NT</small> Water Activity	Pass Heavy Metals <small>04/09/2019</small>	Pass Foreign Matter <small>04/09/2019</small>	Not Tested Mycotoxins




Leah Shaffer, PhD - Lab Director
04/10/2019

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Blueberry Liquid

Sample ID: 1904NAS0313.0890
 Strain: Blueberry Liquid
 Matrix: Ingestible
 Type: Tincture
 Sample Size: ; Batch:

Produced:
 Collected:
 Received: 04/08/2019
 Completed: 04/10/2019
 Batch#: Sample 5

Client
CBS 5 News
 Lic. #
 809 S. 60Th Street
 West Allis, WI 53214

Pesticides

Pass

Analyte	LOD	LOQ	Limit	Mass	Status	Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.01	0.03	0.3	ND	Pass	Hexythiazox	0.003	0.01	2	ND	Pass
Acephate	0.005	0.017	5	ND	Pass	Imazalil	0.003	0.01	0.003	ND	Pass
Acequinocyl	0.008	0.025	4	ND	Pass	Imidacloprid	0.003	0.01	3	ND	Pass
Acetamiprid	0.003	0.01	5	ND	Pass	Kresoxim Methyl	0.003	0.01	1	ND	Pass
Aldicarb	0.003	0.01	0.003	ND	Pass	Malathion	0.003	0.01	5	ND	Pass
Azoxystrobin	0.003	0.01	40	ND	Pass	Metalaxyl	0.003	0.01	15	ND	Pass
Bifenazate	0.003	0.01	5	ND	Pass	Methiocarb	0.003	0.01	0.003	ND	Pass
Bifenthrin	0.003	0.01	0.5	ND	Pass	Methomyl	0.003	0.01	0.1	ND	Pass
Boscalid	0.003	0.01	10	ND	Pass	Methyl Parathion	0.013	0.039	0.013	ND	Pass
Captan	0.11	0.333	5	ND	Pass	Mevinphos	0.008	0.025	0.008	ND	Pass
Carbaryl	0.003	0.01	0.5	ND	Pass	Myclobutanil	0.003	0.01	9	ND	Pass
Carbofuran	0.003	0.01	0.003	ND	Pass	Naled	0.003	0.01	0.5	ND	Pass
Chlorantraniliprole	0.003	0.01	40	ND	Pass	Oxamyl	0.003	0.01	0.2	ND	Pass
Chlordane	0.011	0.033	0.011	ND	Pass	Paclbutrazol	0.003	0.01	0.003	ND	Pass
Chlorfenapyr	0.16	0.5	0.16	ND	Pass	Pentachloronitrobenzene	0.003	0.01	0.2	ND	Pass
Chlormequat	0.003	0.01	0.1	ND	Pass	Permethrin	0.005	0.016	20	ND	Pass
Chlorpyrifos	0.003	0.01	0.003	ND	Pass	Phosmet	0.003	0.01	0.2	ND	Pass
Clofentazine	0.003	0.01	0.5	ND	Pass	Piperonyl Butoxide	0.006	0.018	8	ND	Pass
Coumaphos	0.003	0.01	0.003	ND	Pass	Prallethrin	0.003	0.01	0.4	ND	Pass
Cyfluthrin	0.2	0.6	1	ND	Pass	Propiconazole	0.006	0.019	20	ND	Pass
Cypermethrin	0.05	0.15	1	ND	Pass	Propoxur	0.003	0.01	0.003	ND	Pass
Daminozide	0.003	0.011	0.003	ND	Pass	Pyrethrin 1	0.014	0.042	ND	Tested	
Diazinon	0.003	0.01	0.2	ND	Pass	Pyrethrin 2	0.06	0.18	ND	Tested	
Dichlorvos	0.003	0.01	0.003	ND	Pass	Pyrethrins	0.06	0.18	1	ND	Pass
Dimethoate	0.003	0.01	0.003	ND	Pass	Pyridaben	0.003	0.01	3	ND	Pass
Dimethomorph	0.003	0.01	20	ND	Pass	Spinetoram	0.003	0.01	3	ND	Pass
Ethoprophos	0.003	0.01	0.003	ND	Pass	Spinosad	0.003	0.01	3	ND	Pass
Etofenprox	0.003	0.01	0.003	ND	Pass	Spiromesifen	0.005	0.015	12	ND	Pass
Etoxazole	0.006	0.018	1.5	ND	Pass	Spirotetramat	0.003	0.01	13	ND	Pass
Fenhexamid	0.003	0.01	10	ND	Pass	Spiroxamine	0.003	0.01	0.003	ND	Pass
Fenoxycarb	0.003	0.01	0.003	ND	Pass	Tebuconazole	0.003	0.011	2	ND	Pass
Fenpyroximate	0.003	0.01	2	ND	Pass	Thiacloprid	0.003	0.01	0.003	ND	Pass
Fipronil	0.003	0.01	0.003	ND	Pass	Thiamethoxam	0.003	0.01	4.5	ND	Pass
Flonicamid	0.003	0.01	2	ND	Pass	Trifloxystrobin	0.003	0.01	30	ND	Pass
Fludioxonil	0.004	0.012	30	ND	Pass						

Date Tested: 04/09/2019

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Sample Prep Method: SP-206. Analysis Method: AM-306. Instrument: LC-MS/MS-SP-206.



 Leah Shaffer, PhD - Lab Director
 04/10/2019

 Confident Cannabis
 All Rights Reserved
 support@confidentcannabis.com
 (866) 506-5866
 www.confidentcannabis.com


Blueberry Liquid

Sample ID: 1904NAS0313.0890
Strain: Blueberry Liquid
Matrix: Ingestible
Type: Tincture
Sample Size: ; **Batch:**

Produced:
Collected:
Received: 04/08/2019
Completed: 04/10/2019
Batch#: Sample 5

Client:
CBS 5 News
Lic. #
 809 S. 60Th Street
 West Allis, WI 53214

Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic		0.006	1.5	<LOQ	Pass
Cadmium		0.004	0.5	<LOQ	Pass
Lead		0.025	0.5	<LOQ	Pass
Mercury		0.004	3	<LOQ	Pass



Date Tested: 04/09/2019

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Instrument: ICP-MS-SP-202.




 Leah Shaffer, PhD - Lab Director
 04/10/2019

 Confident Cannabis
 All Rights Reserved
support@confidentcannabis.com
 (866) 506-5866
www.confidentcannabis.com


All LQC ran in accordance with 16 CCR sec. 5730. Foreign Matter: Sample Prep Method- SP-201, Analysis- Method AM-301, Instrument- Visual Inspection. Moisture and Water Activity: Sample Prep Method- SP-204, Analysis Method- AM-304, Instrument- Moisture and Water Activity Meter. This product has been tested by NASCIENT, LLC using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. NASCIENT, LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of NASCIENT, LLC.